			ORMANCE
1.	Unique identification code of the product-type:		
	Loose-laid panels according to EN 14085 or EN 16511 2-5mm		
2.	Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):		
	Pergo Optimum and Premium		
3.	Intended use or uses of the construction product, in accordance with the applicable harmonised technical specifi- cation, as foreseen by the manufacturer:		
	For use as floor covering in buildings (see EN 14041) according to the manufacturer's specifications.		
4.	Name, registered trade name or registered trade mark a	nd contact address of the manufacturer as required	I pursuant to Article 11(5):
	Unilin, division Flooring, Ooigemstraat 3 -	B-8710 Wielsbeke, Belgium	
5.	Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):		
	not applicable		
	System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:		
	System 3		
7.	In case of the declaration of performance concerning a construction product covered by a harmonised standard: Name of the notified test laboratory, that has issued the certificate of conformity of the factory production control, inspection reports and calculation reports (if relevant).		
	EPH - Dresden - Germany		not applicable
	Notified Body		certificate of constancy of performance
8.	In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued: not applicable		
	Declared performance		
9.	Essential characteristics	Performance	Harmonised technical specification
	Reaction to fire	Brr=s1	EN 14041: 2004/AC:2006
	Content of Pentachlorophenol		EN 14041: 2004/AC:2006
	Formaldehyd Emissions	[©] NA HCHO	EN 14041: 2004/AC:2006
	Slip resistance	e of Entropy of the second sec	EN 14041: 2004/AC:2006
	Electrical behavior (dissipative)		EN 14041: 2004/AC:2006
	Electrical behavior (conductive)		EN 14041: 2004/AC:2006
	Electrical behavior (antistatic)		EN 14041: 2004/AC:2006
	Thermal conductivity [W/mK]	Th res (m ² K/W) = 0,013	EN 14041: 2004/AC:2006
	Water-tightness	not applicable	EN 14041: 2004/AC:2006
10.	The performance of the product identified in points 1 and This declaration of performance is issued under the sole Signed for and on behalf of the manufacturer by:		
	Dr. Theo Smet, technical services manager		
	(name and function) Wielsbeke, 10/06/2013		- Nonana and Anna and
	(place and date of issue)		(signature)